

# A LONG WAY TOGETHER



---

**Tradefaire International  
Data Book 2021/2022  
(Port / Industrial)**



[www.tradefaire.com.au](http://www.tradefaire.com.au)

# About TFI

---


Founded in 1992, **Tradefaire International Pty Ltd (TFI)** is a proud family-owned Australian company. From humble beginnings with the national supply of the Kumaneko brand of forklift tyres to Beaurepaires, we have forged a strong reputation for quality products, outstanding service and technical advice that has stood the test of time.

Over the years, our company has expanded to become one of the nation's major suppliers of off-the-road tyres across various market segments. In July 2013, we announced our division, TFI Earthmover, focusing on the mining, quarry and construction sectors. Recently we added our rubber track division to further enhance our offering.

TFI is the sole importer for quality tyre brands that include BKT, Durun, Tong Yong (TY) and Kumaneko. With a sophisticated national distribution and logistics network, TFI prides itself on supplying off-the-road tyres and services across Australia, New Zealand and Papua New Guinea.

We have extensive onsite service capabilities and our sales specialists are charged with exceeding our strong customer service principles, whilst providing reliable, sustainable and economically attractive outcomes. Our onsite fitment and specialist services provide the technical expertise to ensure our customers are in safe hands.

TFI Tyres has as well-established national distribution network to service your needs. With 9 dedicated warehouses across Australia and New Zealand you can rest assured of our prompt service and product deliveries.



# Liftmax LM 81



**LIFTMAX LM 81** has been specially designed for forklift equipment in material handling and industrial applications. This All Steel radial tyre with multilayer steel belts offers low rolling resistance, lower vibration, and greater stability as well as increased puncture resistance.

The special tread compound provides exceptional cut and chip resistance along with excellent wear resistance on all types of terrain.

## MACHINERY



### INDUSTRIAL

Forklift

## APPLICATIONS



### INDUSTRIAL

Industrial handling, Intermodal transport

Tyre Size	Load & Speed Index	Tread Depth (mm)	Unloaded Inflated Dimensions * / - 2%		Load Capacity (25 Km/h)	
			Overall Width (mm)	Overall Diameter (mm)	Max Load (kg's)	Inflation Pressure (PSI)
11.00R20	170A5	37	288	1092	6000	145
12.00R20	176A5	38.5	314	1134	7100	145
12.00R24	178A5	39	310	1235	7500	145
14.00R24	193A5	62	388	1415	11500	145

# Portmax PM 90



**PORTMAX PM 90** has been specially designed for reach stackers. It is an All Steel radial tyre with multilayer steel belts. Its special tread compound ensures an extended tire life-cycle.

PORTMAX PM 90 offers reduced rolling resistance improving fuel economy.

## MACHINERY



### INDUSTRIAL

Reach Stacker

## APPLICATIONS



### INDUSTRIAL

Industrial handling, Intermodal transport

Tyre Size	Star Rating	Tread Depth (mm)	Unloaded Inflated Dimensions */- 2%		Load Capacity (25 Km/h)		
			Overall Width (mm)	Overall Diameter (mm)	Max Load (kg's)	Inflation Pressure (PSI)	Load & Speed Index
18.00R25	***	63	495	1655	17500	145	207A5
18.00R33	***	67	485	1845	21200	145	214A5

# Portmax PM 93 Plus



**PORTMAX PM 93 Plus** has been specially designed for straddle carriers in port container handling operations. It is an All Steel radial tyre with multilayer steel belts providing greater load carrying capacity. Its special tread compound ensures a longer tyre life.

PORTMAX PM 93 PLUS offers reduced rolling resistance improving fuel economy.

## MACHINERY



### INDUSTRIAL

Straddle Carrier

## APPLICATIONS



### INDUSTRIAL

Industrial handling, Intermodal transport

Tyre Size	Star Rating	Tread Depth (mm)	Unloaded Inflated Dimensions * / - 2%		Load Capacity (25 Km/h)		
			Overall Width (mm)	Overall Diameter (mm)	Max Load (kg's)	Inflation Pressure (PSI)	Load & Speed Index
16.00R25	**	49	425	1515	14000	145	200A5

# Port King Classic



**Port King Classic (IND-4)** is BKT's latest generation port tyre, which has been specially engineered for container handling equipment. The tyre ensures maximum operating efficiency and exceptional stability in lift mode.

Thanks to its strong nylon casing, PORT KING CLASSIC stands out for higher load capacity minimizing the risk of impact breaks, snags, and punctures. The new wear-resistant compound has been developed to ensure an extended product life-cycle, and to provide the best return on investment.

## MACHINERY



### INDUSTRIAL

Reach Stacker

## APPLICATIONS



### INDUSTRIAL

Industrial handling, Intermodal transport

Tyre Size	Ply Rating Type	Tread Depth (mm)	Unloaded Inflated Dimensions * / - 2%		Load Capacity (10 Km/h)	
			Overall Width (mm)	Overall Diameter (mm)	Max Load (kg's)	Inflation Pressure (PSI)
18.00-25	40 TL	67.5	528	1675	14175	145

# Portmax PT 93



**PORTMAX PT 93** is a terminal tractor tyre, which has been specifically engineered for heavy-duty operations in terminal environments such as ports and logistic hubs. The special antistatic tread compound ensures excellent wear resistance even under the most demanding operating conditions.

Portmax PT 93 offers excellent handling features and outstanding grip along with enhanced durability.

## MACHINERY



### INDUSTRIAL

Terminal Tractor

## APPLICATIONS



### INDUSTRIAL

Intermodal transport / logistic

Tyre Size	Load Speed Index	Tread Depth (mm)	Unloaded Inflated Dimensions * / - 2%		Load Capacity (40 Km/h)	
			Overall Width (mm)	Overall Diameter (mm)	Max Load (kg's)	Inflation Pressure (PSI)
280/75R22.5	168A8	31	282	998	5600	145
310/80R22.5	175A8	29.5	308	1070	6900	145

# Rock Star Port



**Rock Star Port (IND-4)** has been specifically designed for empty container handlers and forklifts.

In addition to excellent traction, the unique tread compound provides superior cut and chip resistance.

## MACHINERY



### INDUSTRIAL

Reach Stacker

## APPLICATIONS



### INDUSTRIAL

Industrial handling, Intermodal transport

Tyre Size	Ply Rating Type	Tread Depth (mm)	Unloaded Inflated Dimensions */- 2%		Load Capacity (10 Km/h)	
			Overall Width (mm)	Overall Diameter (mm)	Max Load (kg's)	Inflation Pressure (PSI)
14.00-24	32 WA TL	51	390	1425	14175	145



# Rock Grip Port



**ROCK GRIP Port Industrial (IND-4)** is a bias-ply tyre designed for reach stackers in several applications including industrial handling and steelworks.

The special ROCK GRIP compounds ensure particular heat resistance along with great stability and durability.

## MACHINERY



### INDUSTRIAL

Reach Stacker, Empty Container Handler

## APPLICATIONS



### INDUSTRIAL

Industrial Handling, Intermodal Transport

Tyre Size	Ply Rating Type	Tread Depth (mm)	Unloaded Inflated Dimensions */- 2%		Load Capacity (10 Km/h)	
			Overall Width (mm)	Overall Diameter (mm)	Max Load (kg's)	Inflation Pressure (PSI)
14.00-24	32 TL	50.5	375	1410	14175	145
16.00-25	32 TL	51.5	470	1525	16875	145
18.00-25	40 TL	54.5	510	1650	22950	145
18.00-33	40 TL	59.5	510	1887	27000	145

# SM 54



**SM 54 (L-4S)** has been specially designed for empty container handlers and reach stackers in intermodal/logistics applications. It features high stability in lift mode as well as a deep and smooth tread design, providing excellent cut resistance to ensure an extended tyre life-cycle.

## MACHINERY



### PORT

Reach Stacker, Container Handler

## APPLICATIONS



### INDUSTRIAL

Industrial handling, Intermodal transport

Tyre Size	Ply Rating	Tread Depth (mm)	Unloaded Inflated Dimensions * / - 2%		Load Capacity (10 Km/h)	
			Overall Width (mm)	Overall Diameter (mm)	Max Load (kg's)	Inflation Pressure (PSI)
16.00-25	32	44.5	430	1470	16875	145
● 18.00-25	40	59	528	1650	22950	145
18.00-33	40	59.4	535	1895	26655	145

- SM54 M

# NOTE

---



**Tradefaire International (TFI)**

62 Tarnard Drive, Braeside VIC 3195

Ph: 1300 916 556

[www.tradefaire.com.au](http://www.tradefaire.com.au)



A LONG WAY  
**TOGETHER**



2/4 Pinnacle Rd  
Altona North  
VIC 3025

Ph: 03 9391 2882

62 Tarnard Drive  
Braeside  
VIC 3195

Ph: 03 9271 1700

6 Whytes Ct  
Wodonga  
VIC 3690

Ph: 02 6056 6134

199-203 Woodpark Rd  
Smithfield  
NSW 2164

Ph: 02 9756 0685

2/22 Octal St  
Yatala  
QLD 4207

Ph: 0427 640 468

20-22 Marriot St  
Cannington  
WA 6107

Ph: 08 9350 6628

98-100 Wing St  
Wingfield  
SA 5013

Ph: 08 8162 9344